Work Order ID January-28-13 11:57:58			*964	154*							Page
tem ID: D3213-0 Revision ID:	41	F	Accept	*N900	040	100	)*	Setup	Start	ı V	S1*
tem Name: Door Assets 1/25/13 Required Date: 2/13/13 Reference:	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item l Customer:	ID:				Stop	*N:	S2*
Approvals: Process	Plan: MLJ				ate:			Run	Start Stop		
Sequence ID/ Work Center ID	Operation Description	Date.	Set Up/ Run Hours	Tool ID	Tool #		Accept Qty	Rej Qty		Reject Number	R2* Insp. Stamp
	Revision Nbr										
D3213	В		0.00					· · · · · · · · · · · · · · · · · · ·			
*100*	Small Fab		0.00				5x			_	9/
Small Fab Small Fab	Memo	e as per Dwg D3213 Transfer	0.00					<u> </u>	* ***		7
*110 *110* QC Quality Control		D3213-041 pleteness to step on W/O	0.00	6 627			5				
120 *120* Powdercoat Powder Coating	Black Sandtex(Ref.4.3.)  Memo START TI	1:15	0.00 0.00 OVEN TEMPERATURE 3745	3:		5	XÝ	1	M <sub>J</sub>	L 13 <sub>1</sub>	106/

المحالظة عا

		DQA:	Date:	
NCR: Yes / No	WORK ORDER NON-CONFORMANCE / UPDATE			
		OV Closed.	Date:	

											QA Closed.		
Work Orde	er:					DISPOSITION		<del></del>		AGAINST DEF	PARTMENT/	'PROCESS	
Part N	-					Rework Scrap			d-tube hining	Crosstube Small Fab Finishing		Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other
NCR N	No					Use-as-is Work Order Update			ge Fab	Composite		Supplier	
Root					Descri	ption of work order update	Initia	al	Act	tion	Sign &		
Cause		Date	Step	Qty	(	or Non-conformance	Chief I	Eng	Desci	ription	Date	Verification	QC Inspector
Doc/Data													
Equip/Tooling					l							i	
Operator													
Material					!								
Setup								[		1		ļ	
Other							į			ł		l	
Process													
Supplier										I			
Training	Ш									!	ļ	1	
Unapproved							<u></u>						
							AULT C	ATEGO	RY				
Landi	ng G	iear				General					1	۲	<del></del>
	Ш	Bending				Bend	Gra				Ovalized	<u> </u>	Pressure/Forced
1	Ш	Centre No	ot Concer	ntric to	o/s	BOM/Route	<b>⊢</b> ⊣	rdware			Over/Under		Temperature/Cure
	Ш	Cracks				Broken/Damaged	— `	•	ncomplete		Part Incorre	<del> </del>	Weld
	-	Crushed/	Crimped.			Burrs	<b></b>		Incomplete/	'Unclear	Part Lost/Mi	issing [	Wrong Stock Pulled
	Ш	Cuffs				Contamination		aintenar	nce		Part Moved		
		Heat Trea	nt			Countersink	∐ Mi:	slabeled			Positioned V		
	Ш	Inspection	n Strip in	Tube		Cut Too Short	<b>⊢</b>	sread			Power Loss/	'Surge	Other
	Ripples in Bend		Drill Holes	$\vdash$	fset								
		Torque W	/aves in £	xtrusio	n	Drawing	Ou	t of Calib	oration				
		Turning S	equence			Finish	∐ Ou	Out of Sequence					
	Wave/Twist in Tube		Folio	l lou	Outside Dimensions								

Work Orde January-28-13		.54		*964	154*						Page 2
Revision ID:	D3213-041 Door Assembly			Accept	*N9000	า4ก	100	)* s	etup St		NS1* NS2*
Start Date: Required Date: Reference:	1/25/13 2/13/13	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item ID Customer:	<b>)</b> :			, G		
Approvals:	Process Plan	1:	Date:	Tooling:	Dat	te:		F		_	NR1*
••			Date:	SPC (Y/N):	Dat	te:			S	top *	NR2*
Sequence ID/ Work Center II		Operation Description QC3- Inspect Part Finish		Set Up/ Run Hours 0.00	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Rejec Numb	
*130* QC Quality Control		Мето		0.00					$\varphi$	_1 <u>0</u> -0	
,											01
140		Consult Fall		0.00				~			3/1
*110* Small Fab		Small Fab  Memo Assemble as	per Dwg D3213	0.00				5×		<del></del>	423p

QC5- Inspect part completeness to step on W/O

\*150\*

Quality Control

Memo

0.00 2 6 28

NCR:	Yes	/	No
------	-----	---	----

DQA: \_\_\_\_\_Date: \_\_\_\_\_

NCR: Y	es / No				WORK ORDER NON-	CONFORI	VIAINCE / UP		QA Closed:	Date	e:
Work Orde	·r·				DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
	lo				Rework Scrap		Skid-tube Machining	Crosstube Small Fab	i	Water Jet d. Eng. Coor.	Engineering Quality
NCR N	lo				Use-as-is Work Order Update	Thern	noforming Large Fab	Finishing Composite	Rec/Stoi	re/Packaging Supplier	Other
Root				Descri	ption of work order update	Initial	Ac	tion	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data							ļ				
Equip/Tooling							İ			İ	
Operator											
Material											
Setup Other											
Process						:					
Supplier	_					}					
Training		1									
Unapproved											
			•			AULT CATE	GORY				
Landir	ng Gear				General				<b>-</b>	_	
	Bending				Bend	Grain			Ovalized		Pressure/Forced
	Centre No	ot Conce	ntric to	o/s	BOM/Route	Hardwa	are		Over/Under	tolerance	Temperature/Cure
	Cracks				Broken/Damaged	Inspect	tion Incomplete		Part Incorre	ct	Weld
	Crushed/	Crimped.			Burrs	Instruc	tions Incomplete,	/Unclear	Part Lost/M	issing	Wrong Stock Pulled
	Cuffs Contamination				Maint	enance		Part Moved			
	Heat Treat Countersink			Mislab	eled		Positioned \		<del></del> -		
	Inspection Strip in Tube Cut Too Short			Misrea	d		Power Loss,	/Surge	Other		
	Ripples in Bend Drill Holes				Offset						
	Torque Waves in Extrusion Drawing				Out of Calibration						
	Turning Sequence Finish				Out of Sequence						
					Folio	Outside	Outside Dimensions				

Work Ord January-28-13				*96454*								Page 3
Item ID: Revision ID:	D3213-041			Accept	*N900	<b>040</b>	100	)*	Setup	Start Stop	*N	S1*
Item Name: Start Date: Required Date Reference:	1/25/13	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item I Customer:	D:					I	<b>.</b>
Approvals:		lan:				ate:			Run	Start Stop	*N *N	R1* R2*
Sequence ID/ Work Center I 160 *160* Packaging	I <b>D</b>	Operation Description Identify as per dwg & St	ock Location: <b>5</b> 72]]	Set Up/ Run Hours 0.00	Tool ID	Tool#	Plan Code	Accep Qty	Qt	y	Reject Number	Insp. Stamp
170 *170* QC Quality Control		QC21- Final Inspection  Memo	- Work Order Release	0.00		. •				19	17/8	7WF 13-9-0

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-O	100	NFORM	/ANCE / UPDATE		·		
											QA Closed:	Date	
Work Ord	or.					DISPOSITION			AGAIN	ST DE	PARTMENT	PROCESS	
WOIK OIU	E(.					Rework	1		Skid-tube Crosstu	ho	]	Water Jet	Engineering
Part I	No.					Scrap			Machining Small F		Pro	d. Eng. Coor.	Quality
Tarer	•0.		i			Use-as-is	1		noforming Finishi	<u> </u>	4	re/Packaging	Other
NCR I	Vo.					Work Order Update	1		Large Fab Compos	~ <u> </u>	1100,5101	Supplier	1 "
			÷				ו נ				ı		J [
Root					Descri	ption of work order update		nitial	Action		Sign &		
Cause		Date	Step	Qty		or Non-conformance	Cr	ief Eng	Description		Date	Verification	QC Inspector
Doc/Data													
Equip/Tooling													
Operator		<u> </u>				·	1					•	
Material													
Setup .													
Other													,
Process					ļ								
Supplier													
Training													
Unapproved							1		•				
						F	AUI	T CATE	GORY				
Landi	ng (	Gear				General	_	,			<b>.</b>	<b></b>	
		Bending				Bend		Grain			Ovalized	<u> </u>	Pressure/Forced
	L	Centre No	ot Concer	ntric to	o/s	BOM/Route		Hardwa	re	L	Over/Under	tolerance	Temperature/Cure
	L	Cracks				Broken/Damaged		Inspecti	on Incomplete		Part Incorre	ct	Weld
1		Crushed/	Crimped,			Burrs		Instruct	ions Incomplete/Unclear		Part Lost/M	issing	Wrong Stock Pulled

Maintenance

Out of Calibration

Out of Sequence

Outside Dimensions

Mislabeled

Misread

Offset

Contamination Countersink

Cut Too Short

Drill Holes

Drawing

Finish

Folio

Part Moved

Positioned Wrong

Power Loss/Surge

Other

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Cuffs

Heat Treat

Inspection Strip in Tube

Torque Waves in Extrusion

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

## **Picklist Print**

January-28-13 11:57:57 AM

Work Order ID:

96454

Parent Item:

D3213-041

Parent Item Name:

Door Assembly

**Start Date: 1/25/13** 

Required Date: 2/13/13

Page 1

Start Qty: 6.00

Required Qty: 6.00

IPP Rev:A New Issue 05-11-17 17:27 Comments: Qty per Kit Total Unit of Qty on Status Component Item ID/ Replacement Mfg/ Primary Last Route Qty Date Bin Measure Hand Item Name Location Issued Issued Item ID Purch Item Location Seq ID **Qty** 140 32.0000 D2137 No Each Manufactured Decal - No Step Location Loc Oty Loc Code GA 32 89266 12 90854 20 140 Each 10.0000 D2419 Manufactured No Handle Location Loc Qty Loc Code ST010 10 90070 90849 2 D2462 140 259.9349 No 14.4 Manufactured Seal Location Loc Oty Loc Code ST403 259.9349 48530 259.9349 D3161-3 No 100 Each 5.0000 Manufactured Hinge 15.0" Loc Qty Loc Code Location ST031 5 2 83365 3 91310 D3213-1 No 100 Each 9.0000 Manufactured Door Panel Loc Code Location Loc Qty

ST232

94288

				DQA:	Date:
VICB.	Voc /	No	WORK ORDER NON-CONFORMANCE / UPDATE		

7,011									QA Closed:	Dat	e:		
Work Orde	<b>.</b>	·-			DISPOSITION				AGAINST DE	PARTMENT	/PROCESS		
	0				Rework Scrap Use-as-is Work Order Update			Skid-tube  Machining  noforming  Large Fab	Crosstube Small Fab Finishing Composite	Il Fab Prod. Eng. Coor. Quality ishing Rec/Store/Packaging Other			
Root		7		Descri	ption of work order update		nitial	Ad	ction	Sign &			
Cause	Date	Step	Qty		or Non-conformance	Ch	ief Eng	Desc	cription	Date	Verification	n QC Inspector	
Doc/Data													
Equip/Tooling													
Operator						1							
Material													
Setup													
Other													
Process													
Supplier											1		
Training												ļ	
Unapproved								<u> </u>		<u> </u>			
						AUL	T CATE	GORY					
Landin	ng Gear			_	General		1		. [	٦			
	Bending			_	Bend	-	Grain			Ovalized		Pressure/Forced	
		Not Conce	ntric to	o/s	BOM/Route	-	Hardwa		<u> </u>	Over/Under		Temperature/Cure	
	Cracks			<u> </u>	Broken/Damaged	-	1	ion Incomplete	,, , <u> </u>	Part Incorre		Weld	
		d/Crimped		_	Burrs	-	4	ions Incomplete	/Unclear	Part Lost/M	•	Wrong Stock Pulled	
_	Cuffs			<u> </u>	Contamination	-	Mainte		-	Part Moved			
	Heat Treat		Countersink	-	Mislabe		-	Positioned	_	Othor			
		on Strip ir	Tube		Cut Too Short	-	Misrea	3	L	Power Loss	/surge	Other	
	Ripples			_	Drill Holes	-	Offset	California i			<del></del>		
	<b></b> i '	Waves in		n ├	Drawing Finish	-	- 1	Calibration					
	HUHRNING	urning Sequence			LEIDIST		LUUI OT	SECHENCE					

Outside Dimensions

Wave/Twist in Tube

Folio


Picklist Print
January-28-13 11:57:57 AM


Work Order ID:	96454						Q <b>.</b>	1/05/10	D
Parent Item:	D3213-041							Date: 1/25/13	Required Date: 2/13/13
Parent Item Name:	Door Assembly			•			Start	<b>Qty:</b> 6.00	Required Qty: 6.00
D3213-3 Door Panel		Manufactured	No		100	Each	12.0000	1	6 3/06 /27
				Location	Loc Qty		Loc Code		
				ST232	12			•	
				68907	2				/
				74539	10			5	
1520470AD4-4 Livet, Universal Head		Purchased	No		140	Each	3,094.0000	24	144 3/06/28
				Location	Loc Qty		Loc Code		
				GA	72		<del></del>		M125268(
				121652	72				- 1.05268(
				ST336	3022			<u> </u>	- M123000
				116188	136				
				118614	332				<del></del>
				122027	696				/ ,
				124231	1858				- 01
1S20470AD4-6		Purchased	No		100	Each	3,152.0000	1	6 / (2/00/00
ivet, Universal Head									
				Location	Loc Qty		Loc Code		
				GA	62				
				118927	62			5	_ /
				ST336	1028				<del>_</del>
				124231	1028			<del></del>	
				ST505	2062				,
				123021	2062			<del>u 1</del>	_
NAS1149DN632J		Purchased	No		140	Each	221.0000	1	6 5/1-1
Vasher		1 di chasea							1/3/06/28
				<b>Location</b>	Loc Qty		Loc Code		
				ST293			Loc Code		//
				123900	221 221				- <i>V</i>
				123900	221				<del></del>
		•						1110	C/11/6 (=)
								M12	5646 (5x)

NCR:	Yes	/	No	
NCR:	Yes	/	NO	

NCR: Yes / No WORK ORDER NON-CONFORMANCE / UPDATE												
	•									QA Closed:	Date	:
Work Order	·:				DISPOSITION		AGAINST DEPARTMENT/PROCESS					
Part No.				Rework Scrap	] 	Skid-tube Crosstube  Machining Small Fab  Thermoforming Finishing			Water Jet Prod. Eng. Coor. Rec/Store/Packaging		Engineering Quality Other	
NCR No	o				Use-as-is Work Order Update	] ["	Large Fab Composite			Supplier		
Root		Descript			ption of work order update	Initia	Initial Action		tion	Sign &		
Cause	Date	Step	Qty	(	or Non-conformance	Chief E	ief Eng Description		ription	Date	Verification	QC Inspector
Doc/Data												
Equip/Tooling							1					
Operator	<u> </u>	ļ				1	ļ					
Material							Ì					
Setup												
Other		·										
Process												
Supplier			1 1			1	ļ					
Training							1					
Unapproved												
	,				F	AULT C	ATEG	ORY				
Landin	g Gear				General					<b>-</b>	_	
[-	Bending				Bend	Gra	Grain			Ovalized Pressure/Forced		Pressure/Forced
	Centre No	ot Conce	ntric to C	)/S	BOM/Route	Har	Hardware			Over/Under tolerance		Temperature/Cure
	Cracks				Broken/Damaged	Insp	Inspection Incomplete			Part Incorrect		Weld
	Crushed/	Crimped.		•	Burrs	Inst	Instructions Incomplete/Unclear			Part Lost/Missing		Wrong Stock Pulied
Γ	Cuffs				Contamination	Ma	Maintenance			Part Moved		
	Heat Trea	at			Countersink	Mis	Mislabeled			Positioned Wrong		
	Inspectio	n Strip in	Tube		Cut Too Short	Mis	Misread			Power Loss/Surge Other		
Γ	Ripples in	Bend			Drill Holes	Off	Offset			<u> </u>		
Γ	Torque W	/aves in 8	xtrusion		Drawing	Out	Out of Calibration					
Ī	Turning Sequence				Finish	Out	Out of Sequence					
	Wave/Twist in Tube				Folio	Out	Outside Dimensions					

DQA: \_\_\_\_\_ Date: \_\_\_\_





0.300 14.400 TYP 7 EQ. SPACES 0.300 \_ TYP С Ø0.128 R0.06 16 PL **D3213-1 DOOR PANEL** D3213-1 NOTES:
1) MATERIAL: 2024-T3 ALUMINUM SHEET, 0.063 THICK, PER QQ-A-250/4
OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209
REF. DART SPEC M2024T3S.063 DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DESIGN DRAWN 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED CHECKED DRAWING NO. REV. 8 D3213 MFG. APPR. APPROVED TITLE SCALE 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX 6) IDENTIFICATION: NONE DE APPR. DOOR ASSEMBLY 7) WEIGHT: 0.42 lbs DATE 11.06.06

2

